


## APPROVED VETERINARY FEED DIRECTIVE (VFD) COMBINATIONS IN CATTLE



### Chlortetracycline can be fed with

- Decoquinatone
- Laidlomycin
- Lasalocid
- Sulfamethazine

### Sulfamethazine can be fed with

- Chlortetracycline

### Decoquinatone can be fed with

- Chlortetracycline
- Monensin and Tylosin

### Laidlomycin can be fed with

- Chlortetracycline

### Lasalocid can be fed with

- Chlortetracycline
- Oxytetracycline<sup>1</sup>
- MGA and Tylosin

### Melengestrol acetate (MGA) can be fed with

- Oxytetracycline<sup>1</sup>
- Tylosin
- Lasalocid and Tylosin
- Monensin and Tylosin
- Monensin and Ractopamine and Tylosin
- Monensin and Tylosin and Zilpaterol

### Monensin can be fed with

- Tilmicosin
- Tylosin
- Decoquinatone and Tylosin
- MGA and Tylosin
- Ractopamine and Tylosin
- Tylosin and Zilpaterol
- MGA and Ractopamine and Tylosin
- MGA and Tylosin and Zilpaterol

### Neomycin can be fed with

- Oxytetracycline<sup>1</sup>

### Oxytetracycline<sup>1</sup> can be fed with

- Lasalocid
- MGA
- Neomycin

### Ractopamine can be fed with

- Monensin and Tylosin
- Monensin and MGA and Tylosin

### Tilmicosin can be fed with

- Monensin

### Tylosin can be fed with

- MGA
- Monensin
- Lasalocid and MGA
- MGA and Monensin
- Monensin and Decoquinatone
- Monensin and Ractopamine
- Monensin and Zilpaterol
- Monensin and MGA and Ractopamine
- Monensin and MGA and Zilpaterol

### Virginiamycin

- No approved combinations

### Zilpaterol can be fed with

- Monensin and Tylosin
- MGA and Monensin and Tylosin

### Medically Important Antibiotic Drugs (MIADs)

<sup>1</sup>For use in dry animal feed only. Not for use in liquid feed supplements.